EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S63	2	("20040111669").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 00:23
S62	1	S61 and gts	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:59
S61	7	S60 and (transfer$4 or transmit$4 or send$3 or retriev$4 or receiv$3) near10 (document or file or text) same (analyz$3) near10 (document or file or text) and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:59
S58	6	S54 and (transfer$4 or transmit$4 or send$3 or retriev$4 or receiv$3) near10 (document or file or text) same (analyz$3) near10 (document or file or text) and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:55
S60	9	S59 and unstructured adj (text or document or record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:53
S59	19	(search$3 or find$3 or retriev$3 or analyz$3 or captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$5 or position or spatial) adj (information or data or pattern or phrase or term or keyword) with (unstructured or non-structured or plain) adj5 (data or record or text or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:53
S54	7	S52 and unstructured adj (text or document or record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:53

EAST Search History

S52	15	(@AD<"20020805" or @RLAD<"20020805") and (search$3 or find$3 or retriev$3 or analyz$3 or captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$5 or position or spatial) adj (information or data or pattern or phrase or term or keyword) with (unstructured or non-structured or plain) adj5 (data or record or text or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:52
S57	0	S54 and (transfer$4 or transmit$4 or send$3 or retriev$4 or receiv$3) near10 (document or file or text) same (analyz$3) near10 (document or file or text) and client with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:47
S56	6	S54 and (transfer$4 or transmit$4 or send$3 or retriev$4 or receiv$3) near10 (document or file or text) same (analyz$3) near10 (document or file or text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:46
S53	0	S52 and (geolocat$3 or map) near5 (server or service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:40
S50	10	S49 and (geolocat$3 or map) near5 (server or service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:38
S51	15	(@AD<"20020805" or @RLAD<"20020805") and (search$3 or find$3 or retriev$3 or analyz$3 or captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$5 or position or spatial) adj (information or data or pattern or phrase or term or keyword) with (unstructured or non-structured or plain) adj5 (data or record or text or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 19:04

EAST Search History

S49	114	(@AD<"20020805" or @RLAD<"20020805") and (search$3 or find$3 or retriev$3 or analyz$3 or captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$5 or position or spatial) adj (information or data or pattern or phrase or term or keyword) and regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 19:02
S47	9	S44 and (geolocat$3 or map) near5 (server or service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 19:01
S44	89	(@AD<"20020805" or @RLAD<"20020805") and (retriev$3 or analyz$3 or captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$5 or position or spatial) adj (information or data or pattern or phrase or term or keyword) and regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 18:59
S48	9	S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:15
S46	39	S44 and (retriev$3 or analyz$3 or captur$3 or extract$3 or obtatin$3 or pars$3) with (geolocat$3 or geographic or geographical or address or longitut$5 or position or spatial) adj (information or data or pattern or phrase or term or keyword) and regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:14
S45	0	S38 and (retriev$3 or analyz$3 or captur$3 or extract$3 or obtatin$3 or pars$3) with (geolocat$3 or geographic or geographical or address or longitut$5 or position or spatial) adj (information or data or pattern or phrase or term or keyword) and regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:12

S43	4	(@AD<"20020805" or @RLAD<"20020805") and (captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$3 or position or spatial) adj (information or data or pattern or phrase or term or keyword) with regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:06
S42	55	(@AD<"20020805" or @RLAD<"20020805") and (captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$3 or position or spatial) adj (information or data or pattern or phrase or term or keyword) and regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:02
S41	55	(@AD<"20020805" or @RLAD<"20020805") and (captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$3 or position or spatial) adj (information or data or pattern or phrase or term) and regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:02
S40	0	(@AD<"20020805" or @RLAD<"20020805") and (captur$3 or extract$3 or obtatin$3 or pars$3) with (pattern or geolocat$3 or geographic or geographical or address or longitut$3 or position or spatial) adj (information or data) with ((text or unstructured or plain) adj3 (file or document or text)) and regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:01
S39	0	S38 and regular adj3 expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:00
S37	43	(@AD<"20020805" or @RLAD<"20020805") and (captur$3 or extract$3 or obtatin$3 or pars$3) with (geolocat$3 or geographic or geographical or address or longitut$3 or position or spatial) adj (information or data) with ((text or unstructured or plain) adj3 (file or document or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 17:00

EAST Search History

S38	32	S37 not S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 16:59
S35	12	(@AD<"20020805" or @RLAD<"20020805") and (captur$3 or extract$3 or obtatin$3 or pars$3) near10 (geolocat$3 or geographic or geographical or address or longitut$3 or position or spatial) adj (information or data) adj10 ((text or unstructured or plain) adj3 (file or document or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 16:55
S36	12	(@AD<"20020805" or @RLAD<"20020805") and (captur$3 or extract$3 or obtatin$3 or pars$3) near10 (coordinate or geolocat$3 or geographic or geographical or address or longitut$3 or position or spatial) adj (information or data) adj10 ((text or unstructured or plain) adj3 (file or document or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 16:34
S3	10	(@AD<"20020805" or @RLAD<"20020805") and (client with (transfer$4 or submit$4 or transmit$4) adj5 (document or page or file) adj10 server) same (server with (provid$3 or respon$4 or pars$3 or receiv$3) with (document or page or file) with (geolocat$3 or geographic or geographical or address or longitut$3 or position or spatial) adj5 (information or data or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/14 16:24